

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/842,802	04/27/2001	Takao Noguchi	206645US0	2819	
22850 75	590 04/01/2004		EXAM	EXAMINER	
OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C.			SONG, MATTHEW J		
1940 DUKE ST ALEXANDRIA			ART UNIT	PAPER NUMBER	
MELMINDRIN, VII 22311			1765		

DATE MAILED: 04/01/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
,	09/842,802	NOGUCHI ET AL.				
Office Action Summary	Examiner	Art Unit				
	Matthew J Song	1765				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period w. - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	6(a). In no event, however, may a reply be tim within the statutory minimum of thirty (30) days ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
	Responsive to communication(s) filed on <u>23 December 2003</u> .					
, 						
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1,2 and 4-9</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1,2 and 4-9</u> is/are rejected.						
	7) Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction and/or	r election requirement.					
Application Papers						
9) The specification is objected to by the Examine	r.					
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11)☐ The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form P1O-152.				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:)-(d) or (f).				
 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau		•				
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s) 1) Notice of References Cited (PTO-892)	4) Interview Summary	(PTO-413)				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail D	ate				
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	5) Notice of Informal F 6) Other:	Patent Application (PTO-152)				
J.S. Patent and Trademark Office	-,	Dart of Dance No (Mail Data 040319				

Art Unit: 1765

DETAILED ACTION

Claim Rejections - 35 USC § 112

1. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

2. Claim 1 is rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter, which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Claim 1 recites, "a ferroelectric thin film, which is not the second perovskite oxide thin film, that is epitaxially grown on said second perovskite oxide thin film" in last two lines. Any negative limitation or exclusionary proviso must have basis in the original disclosure and the mere absence of a positive recitation is not basis for an exclusion (MPEP 2173.05 (i)). The instant specification does not provide support for the negative limitation. The instant specification does teach specific example, where the ferroelectric film is composed of a different material from the second perovskite oxide film. However, the specification broadly teaches the second perovskite oxide film is PbTiO₃ and the ferroelectric film is a Pb-based perovskite compound, which would encompass the PbTiO₃ used as the second perovskite oxide film. Therefore, there is no specific teaching that the ferroelectric film in not the second perovskite.

Claim Rejections - 35 USC § 103

Art Unit: 1765

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

4. Claims 1, 2 and 4-8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yano et al (US 5,801,105) in view of Summerfelt (US 5,393,352) or Tarui et al (US 5,674,563).

Yano et al discloses a multilayer thin film of BaTiO₃ (001)/Pt (001)/BaTiO₃ (001)/ ZrO₂ (001)/Si (100), note column 28, lines 54-67. The ZrO₂ (001) layer reads on applicant's buffer layer of an oxide thin film of zirconium or of a rare earth element. Yano et al also discloses tungsten bronze type compounds and the perovskite compounds used are BaTiO₃, SrTiO₃, PLZT, PZT, CaTiO₃ and PbTiO₃ (col 12, ln 15-55). Yano et al also discloses the substrate can be gallium arsenide and Si (100) (col 12, ln 55-65). Yano et al also discloses a perovskite/film composed of zirconium oxide stabilized with rare earth metal element/silicon structure is

Art Unit: 1765

effective for improving the crystallinity of an oriented film to formed thereon, for example, films of ferroelectric materials and electrode films of Pt (col 14, ln 20-35).

Yano et al does not teach the ferroelectric film is not the second perovskite oxide thin film, that is grown on the second perovskite oxide thin film.

In a method of using a perovskite buffer, note entire reference, Summerfelt teaches a SrTiO₃ (ST) or BaTiO₃ (BT) can be sued as a buffer layer between Pt and PZT. ST and BT are inherently perovskites. Summerfelt also teaches the ST or BT buffer improves the properties by acting as a diffusion barrier and ST will act as a nucleation layer for the perovskite structure of PZT (col 4, ln 35-68), where the buffer layer reads on applicants' second perovskite and PZT reads on applicants ferroelectric. It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Yano et al by using a buffer layer of SrTiO₃ or BaTiO₃ between a layer of Platinum and PZT to improve the properties of the ferroelectric PZT layer, as taught by Summerfelt.

In a method of forming a ferroelectric thin film, note entire reference, Tarui et al teaches forming PZT on a Pt substrate using a PbTiO₃ buffer layer to improve the flatness of the PZT ferroelectric thin film (col 17, ln 1-25 and col 5, ln 35-67). It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Yano et al by using a PbTiO₃ buffer between Pt and PZT to improve the flatness of a PZT layer, as taught by Tarui et al.

Referring to claim 2, the combination of Yano et al and Summerfelt or the combination of Yano et al and Tarui et al is silent to the perovskite has insulating properties, however this is inherent to the combination of Yano et al and Summerfelt or the combination of Yano et al and

Art Unit: 1765

Tarui et al because the combination of Yano et al and Summerfelt or the combination of Yano et al and Tarui et al teaches a similar material as applicant, therefore a similar material will inherently have similar properties.

Referring to claim 4-5, combination of Yano et al and Summerfelt or the combination of Yano et al and Tarui et al teaches tungsten bronze type compounds and the perovskite compounds used are BaTiO₃, SrTiO₃, PLZT, PZT, CaTiO₃ and PbTiO₃ (col 12, ln 15-55).

Referring to claim 6, the combination of Yano et al and Summerfelt or the combination of Yano et al and Tarui et al teaches fabricating electronic devices, such as volatile memories, infrared sensors, optical modulators and superconducting sensors (Yano col 29, ln 25-50).

5. Claims 1, 2 and 4-8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yano et al (JP 10-017394), an English computer translation (CT) and an English Abstract have been provided, in view of Summerfelt (US 5,393,352) or Tarui et al (US 5,674,563).

Yano et al teaches a single crystal silicon substrate, a ZrO₂ thin film (intermediate thin film), a BaTiO₃ film (insulative ground thin film), a Pt film (conductive ground thin film) and a ferroelectric thin film were formed in this order (CT pg 20 [0151])). The ZrO₂ thin film reads on applicants buffer layer, the BaTiO₃ reads on applicant's Perovskite layer and the Pt layer reads on applicants electrically conductive layer. Yano et al also discloses the insulative subbing layer has perovskite crystal structure of ABO₃, where A is Pb and B is Ti; this reads on applicant's PbTiO₃. Yano et al also discloses the insulative subbing thin film has a (001) or (100) unidirectional orientation (CT pg 7 [0036]-[0038]). Yano et al also discloses the zirconium oxide thin film is composed mainly of zirconium oxide or zirconium oxide stabilized with a rare earth

Art Unit: 1765

metal (CT pg 8 [0045]). Yano et al also discloses a silicon substrate with a (100) orientation (CT [0030]). Yano et al also structure of this invention can form electronic devices (CT pg 12 [0074]). Yano et al also discloses in the ferroelectric thin film of PbTiO₃, where part of Ti may be replaced by at least Zr (CT pg 7 [0033] and pg 6 [0025]-[0029]), this reads on applicant's PZT.

Yano et al does not teach the ferroelectric film is not the second perovskite oxide thin film, that is grown on the second perovskite oxide thin film.

In a method of using a perovskite buffer, note entire reference, Summerfelt teaches a SrTiO₃ (ST) or BaTiO₃ (BT) can be sued as a buffer layer between Pt and PZT. ST and BT are inherently perovskites. Summerfelt also teaches the ST or BT buffer improves the properties by acting as a diffusion barrier and ST will act as a nucleation layer for the perovskite structure of PZT (col 4, ln 35-68), where the buffer layer reads on applicants' second perovskite and PZT reads on applicants ferroelectric. It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Yano et al by using a buffer layer of SrTiO₃ or BaTiO₃ between a layer of Platinum and PZT to improve the properties of the ferroelectric PZT layer, as taught by Summerfelt.

In a method of forming a ferroelectric thin film, note entire reference, Tarui et al teaches forming PZT on a Pt substrate using a PbTiO₃ buffer layer to improve the flatness of the PZT ferroelectric thin film (col 17, ln 1-25 and col 5, ln 35-67). It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Yano et al by using a PbTiO₃ buffer between Pt and PZT to improve the flatness of a PZT layer, as taught by Tarui et al.

Art Unit: 1765

6. Claims 1, 2 and 4-8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yano et al (JP 10-017394), where US 6,121,647 is used as an accurate translation of JP 10-017394, in view of Summerfelt (US 5,393,352) or Tarui et al (US 5,674,563).

Yano et al teaches a single crystal silicon substrate, a ZrO₂ thin film (intermediate thin film), a BaTiO₃ film (insulative subbing thin film), a Pt film and a ferroelectric thin film were formed in the described order ('647 col 26, ln 40-60). The ZrO₂ thin film reads on applicants buffer layer, the BaTiO₃ reads on applicant's Perovskite layer and the Pt layer reads on applicants electrically conductive layer. Yano et al also discloses the insulative subbing layer has perovskite crystal structure of ABO₃, where A is Pb and B is Ti; this reads on applicant's PbTiO₃. Yano et al also discloses the insulative subbing thin film has a (001) or (100) unidirectional orientation ('647 col 10, ln 15-55. Yano et al also discloses the zirconium oxide thin film is composed mainly of zirconium oxide or zirconium oxide stabilized with a rare earth metal ('647 col 45-67). Yano et al also discloses a silicon substrate with a (100) orientation ('647 col 9, ln 60 to col 10, ln 15). Yano et al also discloses the film structure can form electronic devices ('647 col 16, ln 5-20). Yano et al also discloses in the ferroelectric thin film of PbTiO₃, where part of Ti may be replaced by at least Zr ('647 col 9, ln 55-65 and col 8, ln 10-67), this reads on applicant's PZT.

Yano et al does not teach the ferroelectric film is not the second perovskite oxide thin film, that is grown on the second perovskite oxide thin film.

In a method of using a perovskite buffer, note entire reference, Summerfelt teaches a SrTiO₃ (ST) or BaTiO₃ (BT) can be sued as a buffer layer between Pt and PZT. ST and BT are

Art Unit: 1765

inherently perovskites. Summerfelt also teaches the ST or BT buffer improves the properties by acting as a diffusion barrier and ST will act as a nucleation layer for the perovskite structure of PZT (col 4, ln 35-68), where the buffer layer reads on applicants' second perovskite and PZT reads on applicants ferroelectric. It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Yano et al by using a buffer layer of SrTiO₃ or BaTiO₃ between a layer of Platinum and PZT to improve the properties of the ferroelectric PZT layer, as taught by Summerfelt.

In a method of forming a ferroelectric thin film, note entire reference, Tarui et al teaches forming PZT on a Pt substrate using a PbTiO₃ buffer layer to improve the flatness of the PZT ferroelectric thin film (col 17, ln 1-25 and col 5, ln 35-67). It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Yano et al by using a PbTiO₃ buffer between Pt and PZT to improve the flatness of a PZT layer, as taught by Tarui et al.

7. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Yano et al (US 5,801,105) or Yano et al (JP 10-017394), where an English computer translation (CT) and an English Abstract have been provided; or Yano et al (JP 10-017394), where US 6,121,647 is used as an accurate translation of JP 10-017394; in view of Summerfelt (US 5,393,352) or Tarui et al (US 5,674,563), as applied to claims 1,2 and 4-8 above, and further in view of Moon (US 5,744,374) or Nashimoto (US 5,834,803).

The combination of Yano et al ('105) and Summerfelt or the combination of Yano ('105) and Tarui et al or the combination of Yano et al ('394) and Summerfelt or the combination of

Art Unit: 1765

Yano et al ('394) and Tarui et al teaches all of the limitations of claim 9 including a ZrO₂ layer on a silicon substrate, as discussed previously, except the buffer layer comprises Y₂O₃.

In a method of forming a ferroelectric film, note entire reference, Moon teaches a Silicon substrate and a yttrium oxide (Y₂O₃) film over the substrate and a ferroelectric film formed over the yttrium oxide layer (col 4, ln 40-55). Moon also teaches when a PT (PbTiO₃) ferroelectric film is formed on the yttrium oxide film it is possible to form a good quality ferroelectric film can be formed on a silicon semiconductor substrate (col 4, ln 1-15 and col 5, ln 1-5). It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify the combination of Yano et al ('105) and Summerfelt or the combination of Yano ('105) and Tarui et al or the combination of Yano et al ('394) and Summerfelt or the combination of Yano et al ('394) and Tarui et al with Moon's yttrium layer between a silicon substrate and a PT layer to form a good quality film.

In a method of forming a ferroelectric film, note entire reference, Nashimoto teaches a single crystal substrate 1 of silicon (100) (col 3, ln 65 to col 4, ln 5 and col 10, ln 20-35), an epitaxial buffer layer 5 of MgO, ZrO₂ or Y₂O₃ (col 4, ln 10-15), a first ferroelectric thin film layer 2 and a second ferroelectric thin film layer 3, thereon. Nashimoto also teaches the first and second ferroelectric thin films include ABO₃ type ferroelectric substances such as LiNbO₃, PZT, BaTiO₃ and PbTiO₃ (col 4, ln 16-67 and col 10, ln 35-40). Nashimoto also teaches a PbTiO₃ (001) film grown on a buffer and the PbTiO₃ is a perovskite (col 10, ln 41-67). Nashimoto also teaches the first and second ferroelectric thin films may be formed from different ferroelectric substances (col 4, ln 55-60). It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify the combination of Yano et al ('105) and Summerfelt or the

Art Unit: 1765

combination of Yano ('105) and Tarui et al or the combination of Yano et al ('394) and Summerfelt or the combination of Yano et al ('394) and Tarui et al ZrO2 layer by substituting Nashimoto's Y₂O₃ layer because substitution of known equivalents for the same purpose is held to be obvious. (MPEP 2144.06).

Response to Arguments

8. Applicant's arguments with respect to claims 1, 2 and 4-9 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Matthew J Song whose telephone number is 571-272-1468. The examiner can normally be reached on M-F 9:00-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nadine Norton can be reached on 571-272-1465. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Art Unit: 1765

Matthew J Song Examiner Art Unit 1765

MJS

NADINE G. NORTON SUPERVISORY PATENT EXAMINER